

**Notice of Allowability**

Application No.

10/678,722

Examiner

ANH PHUNG

Applicant(s)

HUBER, BRIAN W.

Art Unit

2824

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to \_\_\_\_\_.
2.  The allowed claim(s) is/are 1-5.
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a)  All    b)  Some\*    c)  None    of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.


4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  
(a)  including changes required by the Notice of Draftperson's Patent Drawing Review ( PTO-948) attached  
1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.  
(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of  
Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other Search History.

  
ANH PHUNG  
PRIMARY EXAMINER

## DETAILED ACTION

1. This Office Action is responsive to the US Patent Application Serial No. 10/678,722 filed on October 3, 2003, claims 1-5 are pending in the application.

### ***Examiner's Statement of Reasons for Allowance***

2. Claims 1-5 are allowed.

Houghton et al. (US 5,998,981), Kostelnik et al. (US 5,909,150), Edwards (US 5,850,139), McClure et al. (US 5,596,297) and McClure (US 5,576,656) disclose a voltage regulator and associated method similar to that of the present application, but fail to teach:

“temporarily enabling the voltage regulator to source additional current to an output terminal thereof; and generating a one-shot control pulse, and wherein said one-shot control pulse initiates the momentarily connecting step” as claimed in the independent claim 1; or

“temporarily enabling the voltage regulator to source additional current to an output terminal thereof; and generating a temporary control pulse, and wherein said temporary control pulse initiates the temporarily enabling step” as claimed in the independent claim 2; or

“temporarily enabling the voltage regulator to source additional current to an output terminal thereof, wherein said temporarily enabling comprises at least one of: temporarily increasing the gate voltage applied to an output transistor of the regulator; and temporarily supplying a boost current to an output terminal of the regulator through

a boost transistor" as claimed in the independent claim 3 and the dependent claims 4-5 are also allowed.

Any comments considered necessary by applicants must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comment on Statement of Reasons for Allowance".

***Conclusion***

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **ANH PHUNG** whose telephone number is **(571) 272-1883**. The examiner can normally be reached on Monday-Friday from 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **RICHARD ELMS**, can be reached on **(571) 272-1869**. The fax phone number for the organization where this application or proceeding is assigned is **(703) 872-9306**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at **866-217-9197** (toll-free).

Application/Control Number: 10/678,722  
Art Unit: 2824

Page 4

**Art Unit: 2824**

**AKP**

*Anh Phung*  
ANH PHUNG  
PRIMARY EXAMINER